

Welcome to the RBR technical webinar:

Inductive Conductivity Cell: A primer on high-Accuracy CTD Technology

A few quick notes:

- This webinar will be recorded and posted on the RBR website
- Slides will be available on the website after the presentation
- You can use the chat section to ask questions at any time

Next week's webinar



Profiling CTDs: RBR instruments in Wirewalker, gliders/AUVs, and Argo floats

Greg Johnson November 11, 2020

Learn about RBR's CTD integrations into different profiling platforms, and how this has helped increase mission duration and reduce price per profile.







Inductive Conductivity Cell: A Primer on High-Accuracy CTD Technology

Greg Johnson, PhD President, RBR

CTD technology






Measurement principle of an inductive conductivity cell

The measurement of conductivity is based on Faraday's law of induction.

Variable magnetic flux drives a current in a circuit.

RBR uses a "double transformer" design

- Two independent toroidal coils
- Basic idea for this introduced 100 years ago:
 - *Piccard and Frivold (1920). Démonstration de courants d'induction produits sans électrodes dans un électrolyte.
 - **M. J. Relis (1947), Electrodeless method for measuring low-frequency conductivity of electrolytes.




^{*}https://www.e-periodica.ch/digbib/view?pid=ads-001:1920:2::811#271

^{**}https://dspace.mit.edu/bitstream/handle/1721.1/43268/28203965-MIT.pdf?sequence=2&isAllowed=y


Measurement principle of an inductive conductivity cell

- Drive coil and receive coil
 - Apply an AC current to the drive coil
 - Causes a changing magnetic flux in the generating ferrite
 - Electrical current induced in sea water
 - Changing current in sea water induces magnetic flux in receiving ferrite
 - Changing magnetic flux in ferrite causes AC current in receiving coil
 - Current in receiving coil is proportional to the seawater conductivity



Benefits of inductive conductivity cells

- Conductivity cell can be built with a low aspect ratio
- Cell flushes naturally
 - No pump required
- Low power consumption
 - Acoustically quiet
- Robust
- No metal electrodes
 - Not affected by surface oils
- Can measure accurate conductivity when cell is 10cm from air-sea interface





Proximity effects

Any material within close proximity of the conductivity cell changes the measured conductivity.

- Recommended to keep objects ~15cm from cell
- High bias for conductive material (e.g., stainless steel guard)
- Low bias for non-conductive material (e.g., rope or insulated mooring line)
- Calibration can eliminate proximity effect
 - Instrument calibrated in the guard
 - Float heads calibrated with Iridium antenna and oxygen optode





Proximity errors from insulated steel mooring line

75mm clamp



150mm clamp



Calibration spec	~0.003 PSU
75mm clamp	Error = 0.0025 PSU
150mm clamp	Error < 0.0001 PSU

Accuracy, resolution, and stability

From the RBR data sheets:

Calibration Accuracy


• ± 0.003 mS/cm (0 – 85 mS/cm)

Precision

0.001 mS/cm


Stability

• 0.010 mS/cm/yr





Resolution demo: Powell Lake, BC









Conductivity resolution: Powell Lake, BC

Able to resolve:


- 1 m thick uniform layers
- 10 cm thick interfaces
- ΔT (adjacent layers) ~ 0.005°C
- ΔS (adjacent layers) ~ 0.002








Calibration lab results: stability




- Mean = -0.0004 mS/cm/yr
- σ = 0.0043 mS/cm/yr
- 70% of instruments have a drift rate of 0.003 mS/cm/yr or less





China Argo





Australia Argo





No drift relative to standard reference data when analyzed with Owens-Wong stability analysis (over 4+ years!)

Nezlin N. P. et al. (2020) ITECH (10.1175/ITECH)

Nezlin, N. P et al. (2020) JTECH (10.1175/JTECH-D-20-0058.1)

Conductivity cell for different max pressure rating

Three versions, each rated for a different maximum pressure



6000dbar





Thank you!

Contact Us

rbr-global.com info@rbr-global.com +1 613 599 8900

RBR