

---

# RSKtools for Matlab access to RBR data

## Table of Contents

Introduction .....	1
Installing .....	1
Examples of use .....	1
Working with profiles .....	3
Deriving new channels from measured channels .....	3
Plotting .....	3
Customising plots .....	4
Accessing individual channels and profiles .....	5
Other Resources .....	5
About this document .....	6

RSKtools v2.3.0; RBR Ltd. Ottawa ON, Canada; [support@rbr-global.com](mailto:support@rbr-global.com); 2018-05-09

## Introduction

RSKtools is RBR's open source Matlab tool box for visualizing and post-processing RBR logger data. It provides high-speed access to large RSK data files. Users may plot data as a time series or as depth profiles using tailored plotting utilities. Time-depth heat maps can be plotted easily for repeated profiles. A full suite of data post-processing functions, such as functions to match sensor time constants and bin average, are available to enhance data quality. RBR is continually expanding RSKtools, and we value feedback from users so that we can make it better.

## Installing

The latest stable version of RSKtools can be found at <http://www.rbr-global.com/support/matlab-tools>.

- Download and unzip the archive (to ~/matlab/RSKtools, for instance)
- Add the folder to your path from the command line (`addpath ~/matlab/RSKtools`) or launch the path editor gui (`pathtool`).
- type `help RSKtools` to get an overview and take a look at the examples.

## Examples of use

The first step is to make a connection to the RSK file with `RSKopen`. Note that `RSKopen` does not actually read the data; instead it reads a "thumbnail" of the data, which is up to 4000 samples long.

```
file = './sample.rsk';  
rsk = RSKopen(file);
```

The structure returned after opening an RSK looks something like:

```
disp(rsk)

    toolSettings: [1x1 struct]
      dbInfo: [1x1 struct]
instrumentChannels: [7x1 struct]
      channels: [7x1 struct]
      epochs: [1x1 struct]
      schedules: [1x1 struct]
      deployments: [1x1 struct]
      instruments: [1x1 struct]
      appSettings: [1x1 struct]
      ranging: [7x1 struct]
      continuous: [1x1 struct]
      parameters: [1x1 struct]
parameterKeys: [23x1 struct]
thumbnailData: [1x1 struct]
      region: [762x1 struct]
      regionCast: [508x1 struct]
      profiles: [1x1 struct]
      log: {[7.3719e+05] '../sample.rsk opened using
RSKtools...'}]
```

To read the full dataset, use the `RSKreaddata` function. `RSKreaddata` will read the full dataset by default. Because RSK files can store a large amount of data, it may be preferable to read a subset of the data, specified using a start and end time (in Matlab `datenum` format, which is defined as the number of days since January 0, 0000).

```
t1 = datenum(2014, 05, 03);
t2 = datenum(2014, 05, 04);
rsk = RSKreaddata(rsk, 't1', t1, 't2', t2);
```

Note that the logger data can be found in the structure at:

```
rsk.data

ans =

    tstamp: [22346x1 double]
    values: [22346x7 double]
```

where `rsk.data.tstamp` contains the sample timestamps in Matlab `datenum` format, and `rsk.data.values` contains the data. Each column in `rsk.data.values` contains data from a different channel. The channel names and units for each column in data are:

```
[{rsk.channels.longName}' {rsk.channels.units}']

ans =

    'Conductivity'    'mS/cm'
```

'Temperature'	' °C'
'Pressure'	' dbar'
'Dissolved O2'	' %'
'Turbidity'	' NTU'
'PAR'	' μMol/m <sup>2</sup> /s'
'Chlorophyll'	' μg/l'

## Working with profiles

Profiling loggers with recent versions of firmware can detect and record profile upcast and downcast "events" automatically. The function `RSKreadprofiles` uses the profile event time stamps to organize the data into profiles. Then, a plot of the profiles can be made very easily using the `RSKplotprofiles` function. For example, to read the upcast and downcast of profiles 6 to 8 from the sample data set, run:

```
rsk = RSKreadprofiles(rsk, 'profile', 6:8, 'direction', 'both');
```

RSKtools includes a convenient plotting option to overlay the pressure data with information about the profile events. For details please read the [RSKplotdata](#) page in the [RSKtools on-line user manual](#).

Note: If profiles have not been detected by the logger or Ruskin, or if the profile time stamps do not correctly parse the data into profiles, the function `RSKfindprofiles` can be used. The `pressureThreshold` argument, which determines the pressure reversal required to trigger a new profile, and the `conductivityThreshold` argument, which determines if the logger is out of the water, can be adjusted to improve profile detection when the profiles were very shallow, or if the water was very fresh.

## Deriving new channels from measured channels

In this particular example, Practical Salinity can be derived from conductivity, temperature, and pressure because the file comes from a CTD-type instrument. `RSKderivesalinity` is a wrapper for the TEOS-10 GSW function `gsw_SP_from_C`, and it adds a new channel called `Salinity` as a column in `rsk.data.values`. The TEOS-10 GSW Matlab toolbox is freely available from <http://teos-10.org/software.htm>. Salinity is a function of sea pressure, and sea pressure must be derived from the measured total pressure before computing salinity. In the following example, the default value of atmospheric pressure at sea level, 10.1325 dbar, is used.


```
rsk = RSKderiveseapressure(rsk);  
rsk = RSKderivesalinity(rsk);
```

Note: Salinity, sea pressure, and other channels added by RSKtools should be derived after using `RSKreadprofiles` because in some circumstances `RSKreadprofiles` will read raw data from the Ruskin RSK data *file*, instead of referring to the data in the Matlab RSK *structure*.

## Plotting

RSKtools contains a number of convenient plotting utilities. To plot profiles, use `RSKplotprofiles`. For example, to plot the upcasts of temperature, salinity, and chlorophyll, from this example, run:

```
handles = RSKplotprofiles(rsk, 'channel',  
    {'temperature', 'salinity', 'chlorophyll'}, 'direction', 'up');
```



## Customising plots

The plotting functions returns graphics handles enabling access to the line objects. The output is a matrix containing a column for each channel subplot and a row for each profile.


```
disp(handles)
```

*3x3 Line array:*

```
Line   Line   Line  
Line   Line   Line  
Line   Line   Line
```

To increase the line width of the first profile in all subplots, run:

```
set(handles(1,:), {'linewidth'}, {3});
```



## Accessing individual channels and profiles

The channel data is stored in `rsk.data`. If the data was parsed into profiles, `data` is a 1xN structure array, where each element is an upcast or downcast from a single profile containing an array of time stamps and a matrix of channel data. RSKtools has functions to access the data from particular channels and profiles. For example, to access the time stamps, sea pressure, temperature, and dissolved O2 from the upcast of the 1st profile, run:

```
profind = getdataindex(rsk, 'direction', 'up', 'profile', 1);  
tempcol = getchannelindex(rsk, 'temperature');  
o2col   = getchannelindex(rsk, 'dissolved o2');  
prescol = getchannelindex(rsk, 'sea pressure');  
  
time     = rsk.data(profind).tstamp;  
seapressure = rsk.data(profind).values(:, prescol);  
temperature = rsk.data(profind).values(:, tempcol);  
o2        = rsk.data(profind).values(:, o2col);
```

## Other Resources

We recommend reading:

- The [RSKtools on-line user manual](#) for detailed RSKtools function documentation.

- The [RSKtools post-processing guide](#) for an introduction on how to process RBR profiles with RSKtools. The post-processing suite contains, among other things, functions to low-pass filter, align, de-spike, trim, and bin average the data. It also contains functions to export the data to ODV and CSV files.

## About this document

This document was created using [Matlab™ Markup Publishing](#). To publish it as an HTML page, run the command:

```
publish('Standard.m');
```

See `help publish` for more document export options.

*Published with MATLAB® R2015b*